Manhole Inspection Summary Manhole # S15UU 004MH Printed On: 1/14/2009 Page 1 of 4 Inspection ☐ Is Incomplete Rating: 2) Good Record Plat: 15UU Node: **004** Status: Found Insp Date: 7/11/08 2:21 PM **Incomplete Comments** Crew: ADS2 Inspector: ADS3 Firm: ADS Location Address: 3101 TOWANDA AVE Cross Street: PARKING LOT Manhole Ground Conditions: Dry Type: Junction Location: Roadway Prev. Rehab Weather: **Dry** Subject To Ponding: None Comments Cover Shape: Circular Diameter: 25. (in.) Length: (in.) Dist A/B Grade: 0 (in.) Type: Sanitary Condition: Sound Cover Material: Cast Iron ☐ Water Tight ☐ Water Tight Insert Properties: ☐ Bolted ✓ Vented Frame Offset: 0 Condition: Sound (in.) Cracked Leaks Chimney / Frame Adjustment Exists Material: Brick and Concrete Height: 4 Parged (in.) Condition: Sound Cracked Root Intrusion Loose Brick Deteriorated Infiltration: ✓ None ☐ Joint ☐ Cracks ☐ Mortar ☐ Roots ☐ Wall Corbel Material: Brick Type: Concentric/Eccentric Parged Condition: ✓ Sound ☐ Cracked ☐ Root Intrusion ☐ Loose Brick ☐ Deteriorated Infiltration: None Joint Cracks Mortar Roots Wall Barrel Material: Brick ☐ Parged Shape: Circular Diameter: 40 (in.) Length: (in.) Condition: ✓ Sound ☐ Cracked ☐ Root Intrusion Loose Brick Deteriorated Infiltration: None ☐ Joint ☐ Cracks ☐ Roots ☐ Wall **Bench** ✓ Exists Material: Brick Parged Condition: ✓ Sound ☐ Cracked ☐ Root Intrusion ☐ Deteriorated ☐ Leaks Debris Channel Material: Brick Parged Channel Exposure: Fully Open Junc Dist: 0 nearest .5 ft. Azimuth: Condition: ✓ Sound ☐ Cracked ☐ Root Intrusion ☐ Deteriorated ☐ Leaks Debris Count: 8 Missing: 0 Steps Corroded ☐ Evidence Of Surcharge Depth: (ft.) Active Surcharge Present Surcharge

Manhole Inspection Summary

Manhole # \$15UU_004MH

Printed On: 1/14/2009 Page 2 of 4

Location View



Defect 1



Top View



Manhole Inspection Summary

Manhole # S15UU_004MH

12 O'Clock Outflow

Printed On: 1/14/2009 Page 3 of 4

8 in. Circular Gravity Sewer Pipe Out @ 12 O'Clock



Pipe Height: (in.) Direct

Pipe Material: Clay

Invert Depth: 13.85 (ft.) Flow Characteristics: Fast

Silt Depth: (in.) Deposits Extent:

Infiltration: **None** Pipe Seal Cond: **Sound**

Drop: None

Connects To: Manhole

☐ Possible Illicit Connection

8 in. Circular Gravity Sewer Pipe In @ 6 O'Clock



Pipe Height: (in.) Direct

Pipe Material: Clay

Invert Depth: 7.65 (ft.) Flow Characteristics: Fast

Deposits: None Mud Debris Grease

Silt Depth: (in.) Deposits Extent:

Infiltration: None Pipe Seal Cond: Sound

6 O'Clock Inflow Drop In @ 6 O'Clock



Drop: Outside Direct

Angled: Reading: (ft.)

Inv Depth: 13.82 (ft.)

Drop Condition: **Open**

Connects To: Manhole

Possible Illicit Connection

Manhole Inspection Summary

Manhole # S15UU_004MH

9 O'Clock Inflow

Printed On: 1/14/2009 Page 4 of 4

8 in. Circular Gravity Sewer Pipe In @ 9 O'Clock



Pipe Height: (in.) Direct

Pipe Material: Clay Pipe Lined

Invert Depth: 13.75 (ft.) Flow Characteristics: Slow

Deposits: None Mud Deposits Grease

Silt Depth: 1 (in.) Deposits Extent: Light

Infiltration: None Pipe Seal Cond: Sound

Drop: **None**

Connects To: House connection / Service

line

☐ Possible Illicit Connection